

Area Marking



Area Marking: Why?

Creating a totally safe work environment requires several elements: clear signage and lockout tagout procedures are essential but should be complimented by clear area marking.

Brady offers a complete range of additional marking methods to ensure that floor areas, steps, railings and other relevant areas can be identified as danger zones.


Brady will help you find the solution that works best for your environment!



Floor marking tape



Photoluminescent area marking



Anti-skid products



Barricade tape



Warning posts and chains



CONTENT

Area Marking: Why? 2

ToughStripe Removable Area Marking Tape 3

Tape 4
Arrows 4
Dots 4
Footprints 5
Corner Marks, Divider Marks, Centre Marks 5, 6
Pre-spaced Shapes 6
ToughStripe for use with the BMP™71 Label Printer 6

Permanent Area Marking Tape

Warning Tapes 7
Durable Marking Tapes 7
Reflective Stripes and Solid Colours Tapes 7
Aisle Marking Tapes 8
Warning Panels 8

Easyline™ Floor Marking Paint for industrial marking 8

Photoluminescent Area Marking

Arrow Tapes 9
Warning Tapes & Warning Tapes With Legends 9
Footprints 9, 10
Arrows 9, 10, 11
Dots 9, 10, 11
Door Handle Backgrounds 10
Stair Markers 11
Warning Tapes & Strips 12
Door Marking Tapes & Strips 12

Anti-Skid Products

Photoluminescent Anti-Skid Strips 12
Roll-Mounted Anti-Skid Tape 13
Die-Cut Cleats 13
Reflective & Glow-in-the-Dark Die-Cut Cleats 13
Hazard Marking Die-Cut Cleats 13
Striped Anti-Skid Tape 13

Barricade Tape

Barricade Tapes 14
Graphic Barricade Tapes 14
Tape Dispensers 14
Super Strong Barricade Tape 15
Underground Warning Tape 15

Warning Posts & Chains

BradyLink® Warning Post & Chain 16
Brady Warning Chain 16
Brady Connecting Hooks 16
Brady Connecting Links 16
Warning Posts 17
Message Sign 17

Floor Stands

Heavy Duty Floor Stands 18
Economy Floor Stands 18

Safety Bumpers

Polyurethane Safety Bumpers 19
Photoluminescent Foams 19
Self-adhesive Safety Bumpers 19



ToughStripe is the ideal floor marking tape in a lean environment where the regular application and replacement of floor marking is crucial.

Superior Durability

Spend less time replacing damaged or worn lines for a better looking, more efficient facility.

- Withstands forklift traffic without tearing or lifting
- Low profile design minimises tears and scratches from skids, pallet jacks, etc.
- Rugged polyester with ultra aggressive adhesive



High Visibility

Get the same visibility of painted floor markings – and pay less.

- High gloss surface shines like new paint
- Low-profile minimises debris build-up along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges and cleans up like new
- Available in a variety of high impact colours



Painless Removal

Easily remove floor markings without damaging the floor or leaving adhesive residue.

- Does not chip and flake when being removed – comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor

Easy Application

Quickly lay down smooth, straight lines – without the help of co-workers.

- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy uneven lines
- No special floor preparation required – just clean with common detergents



Die-Cut Shapes

Use different shapes, colours and sizes for more effective, durable floor markings.

- Dashes, dots, arrows, footprints, and corner marks (L, T and + shapes)
- Longer lasting markings – Minimises the risk of damage and facilitates fast repair
- **Selected dashes, dots and arrows are pre-spaced on transfer tape, making it incredibly easy to lay down straight evenly spaced lines**




BRADY B-514 FLOOR MARKING POLYESTER

TOUGHSTRIPE™ FLOOR MARKING PRODUCTS ARE MADE WITH BRADY'S B-514 POLYESTER. TOUGHSTRIPE PRODUCTS ARE IDEAL FOR MARKING AISLES, PASSAGEWAYS AND STORAGE LOCATIONS, AND POINTING OUT IMPORTANT SAFETY EQUIPMENT AND EGRESS PATHS.


- 0.2 mm thickness
- Service temperature range of -18°C to 54°C
- Application conditions: min. 5°C, dry floor
- Recommended for indoor use and dry environment
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22

FLOOR MARKING TAPE



Order Ref.	Width (mm)	Length (m)	Colour	
104310	50.80	30.00 m	Black	
104311	50.80	30.00 m	White	
104312	50.80	30.00 m	Yellow	
104313	50.80	30.00 m	Red	
104314	50.80	30.00 m	Blue	
104315	50.80	30.00 m	Green	
104316	50.80	30.00 m	Orange	
104317	50.80	30.00 m	Black & Yellow	
104318	50.80	30.00 m	Red & White	
104319	50.80	30.00 m	Black & White	
104340	76.20	30.00 m	Black	
104341	76.20	30.00 m	White	
104342	76.20	30.00 m	Yellow	
104343	76.20	30.00 m	Red	
104344	76.20	30.00 m	Blue	
104345	76.20	30.00 m	Green	
104346	76.20	30.00 m	Orange	
104347	76.20	30.00 m	Black & Yellow	
104348	76.20	30.00 m	Red & White	
104349	76.20	30.00 m	Black & White	
104370	101.60	30.00 m	Black	
104371	101.60	30.00 m	White	
104372	101.60	30.00 m	Yellow	
104373	101.60	30.00 m	Red	
104374	101.60	30.00 m	Blue	
104375	101.60	30.00 m	Green	
104376	101.60	30.00 m	Orange	
104377	101.60	30.00 m	Black & Yellow	
104378	101.60	30.00 m	Red & White	
104379	101.60	30.00 m	Black & White	

ARROWS 100 / PACKAGE



Order Ref.	Width (mm)	Height (mm)	Colour	
104412	50.80	127.00	Red	
104413	50.80	127.00	Green	
104414	50.80	127.00	Blue	
104415	50.80	127.00	Yellow	
104416	50.80	127.00	Black	
104417	50.80	127.00	White	
104418	76.20	203.20	Red	
104419	76.20	203.20	Green	
104420	76.20	203.20	Blue	
104421	76.20	203.20	Yellow	
104422	76.20	203.20	Black	
104423	76.20	203.20	White	
104424	101.60	254.00	Red	
104425	101.60	254.00	Green	
104426	101.60	254.00	Blue	
104427	101.60	254.00	Yellow	
104428	101.60	254.00	Black	
104429	101.60	254.00	White	


DOTS - 300 / ROLL




Order Ref.	Diameter (mm)	Colour	
104400	88.90	Red	
104401	88.90	Green	
104402	88.90	Blue	
104403	88.90	Yellow	
104404	88.90	Black	
104405	88.90	White	

FOOTPRINTS - 10 / PACKAGE (5 RIGHT - 5 LEFT)

Order Ref.	Width (mm)	Height (mm)	Colour
104406	88.90	254.00	Red
104407	88.90	254.00	Green
104408	88.90	254.00	Blue
104409	88.90	254.00	Yellow
104410	88.90	254.00	Black
104411	88.90	254.00	White




CORNER MARKS - "L" 20 / PACKAGE





Order Ref.	Width (mm)	Height (mm)	Colour
104430	50.80	127.00	Red
104431	50.80	127.00	Green
104432	50.80	127.00	Blue
104433	50.80	127.00	Yellow
104434	50.80	127.00	Black
104435	50.80	127.00	White
104442	76.20	203.20	Red
104443	76.20	203.20	Green
104444	76.20	203.20	Blue
104445	76.20	203.20	Yellow
104446	76.20	203.20	Black
104447	76.20	203.20	White
104454	101.60	254.00	Red
104455	101.60	254.00	Green
104456	101.60	254.00	Blue
104457	101.60	254.00	Yellow
104458	101.60	254.00	Black
104459	101.60	254.00	White

DIVIDER MARKS - "T" 20/ PACKAGE




Order Ref.	Width (mm)	Height (mm)	Colour
104436	50.80	127.00	Red
104437	50.80	127.00	Green
104438	50.80	127.00	Blue
104439	50.80	127.00	Yellow
104440	50.80	127.00	Black
104441	50.80	127.00	White
104448	76.20	203.20	Red
104449	76.20	203.20	Green
104450	76.20	203.20	Blue
104451	76.20	203.20	Yellow
104452	76.20	203.20	Black
104453	76.20	203.20	White
104460	101.60	254.00	Red
104461	101.60	254.00	Green
104462	101.60	254.00	Blue
104463	101.60	254.00	Yellow
104464	101.60	254.00	Black
104465	101.60	254.00	White

CENTRE MARKS - “+” 20 / PACKAGE



Order Ref.	Width (mm)	Height (mm)	Colour	
104466	50.80	127.00	Red	+
104467	50.80	127.00	Green	+
104468	50.80	127.00	Blue	+
104469	50.80	127.00	Yellow	+
104470	50.80	127.00	Black	+
104471	50.80	127.00	White	+
104472	76.20	203.20	Red	+
104473	76.20	203.20	Green	+
104474	76.20	203.20	Blue	+
104475	76.20	203.20	Yellow	+
104476	76.20	203.20	Black	+
104477	76.20	203.20	White	+
104478	101.60	254.00	Red	+
104479	101.60	254.00	Green	+
104480	101.60	254.00	Blue	+
104481	101.60	254.00	Yellow	+
104482	101.60	254.00	Black	+
104483	101.60	254.00	White	+

PRE-SPACED SHAPES (SPACED 457 MM APART)



Order Ref.	Diameter (mm)	Width (mm)	Height (mm)	Colour	
104526	-	50.80	127.00	Red	→ → →
104527	-	50.80	127.00	Green	→ → →
104528	-	50.80	127.00	Blue	→ → →
104529	-	50.80	127.00	Yellow	→ → →
104554	-	50.80	127.00	Black	→ → →
104555	-	50.80	127.00	White	→ → →
104556	-	50.80	203.20	Yellow	→ → →
104520	88.90	-	-	Green	● ● ●
104521	88.90	-	-	Red	● ● ●
104522	88.90	-	-	White	● ● ●
104523	88.90	-	-	Yellow	● ● ●
104524	88.90	-	-	Blue	● ● ●
104525	88.90	-	-	Black	● ● ●

TOUGHSTRIPE FOR USE WITH THE BMP™71 LABEL PRINTER

B-483 TOUGHBOND™ ULTRA AGGRESSIVE POLYESTER +

B-634 POLYESTER OVERLAMINATE (SUPPLIED IN A SEPERATE ROLL):

- Create custom-printed floor labels
- Easy 3-Step Process: print label, position on floor, apply overlaminate




Order Ref.	Width (mm)	Length (m)	Colour	
142140	25.40	15.24 m	White	
142141	50.80	15.24 m	White	
142142	25.40	15.24 m	Black & Clear	
142143	50.80	15.24 m	Black & Clear	
142144	25.40	15.24 m	Yellow	
142145	50.80	15.24 m	Yellow	
142146	25.40	15.24 m	Red	
142147	50.80	15.24 m	Red	
142148	25.40	15.24 m	Blue & Clear	
142149	50.80	15.24 m	Blue & Clear	
142150	25.40	15.24 m	Green & Clear	
142151	50.80	15.24 m	Green & Clear	
142152	25.40	15.24 m	Orange & Clear	
142153	50.80	15.24 m	Orange & Clear	



WARNING TAPES

- Self-adhesive warning film for marking pillars, pylons, the edges of walls, gate arches and lifts
- Extremely durable (0.138 mm thick)
- Waterproof, oil, alkali and acid resistant
- Material: Self-adhesive PVC
- Roll length: 33 m
- Packaging: 1 roll

Order Ref.	Width (mm)	Colour	
255311	38.00	Black & Yellow	
255312	50.00	Black & Yellow	
255313	75.00	Black & Yellow	
225001	38.00	Green & White	
225002	50.00	Green & White	
225003	75.00	Green & White	
255295	38.00	Red & White	
255296	50.00	Red & White	
255297	75.00	Red & White	



DURABLE MARKING TAPE

COLOURS ARE SEALED BENEATH A PROTECTIVE LAYER OF ABRASION RESISTANT CLEAR LAMINATE.

- Aggressive adhesive holds on almost any clean, dry surface
- Markings stand up to toughest conditions - indoors or out
- Material: Self-adhesive vinyl (B-950)
- Standard Package: 1 roll
- Length: 16.5 m

Order Ref.	Width (mm)	Colour	
055290	25.00	Black & White	
055291	38.00	Black & White	
055292	50.00	Black & White	
055293	75.00	Black & White	
055300	25.00	Black & Yellow	
055301	38.00	Black & Yellow	
055302	50.00	Black & Yellow	
055303	75.00	Black & Yellow	


Order Ref.	Width (mm)	Colour	
055312	38.00	Magenta & Yellow	
055313	50.00	Magenta & Yellow	
055314	75.00	Magenta & Yellow	
055294	25.00	Red & White	
055295	38.00	Red & White	
055296	50.00	Red & White	
055297	75.00	Red & White	



REFLECTIVE STRIPES & SOLID COLOUR TAPES

THESE TAPES GIVE AN EXTRA MARGIN OF SAFETY DURING BLACKOUTS, AT NIGHT, OR IN LOW LIGHT CONDITIONS.

- Material: Reflective Adhesive Material (B-957)
- Length: 4.5 m
- Standard Package: 1 roll



Order Ref.	Width (mm)	Colour	
Reflective Solid Colour Tape			
078989	50.00	Orange	
078990	75.00	Orange	
078985	50.00	White	
078987	75.00	White	
078986	50.00	Yellow	
078988	75.00	Yellow	

Order Ref.	Width (mm)	Colour	
Reflective Stripes Tape			
076310	50.00	Black & White	
076309	50.00	Red & White	
076313	75.00	Red & White	
076308	50.00	Black & Yellow	
076312	75.00	Black & Yellow	




Permanent Area Marking Tape & Floor Marking Paint



AISLE MARKING TAPES

- Long lasting, sticks fast to surfaces
- Material: Self-adhesive Vinyl (B-726)
- Length: 33 m
- Packaging: 1 roll

Order Ref.	Width (mm)	Colour	
058200	50.00	Yellow	
058250	75.00	Yellow	
058203	50.00	White	
058253	75.00	White	
058201	50.00	Red	
058251	75.00	Red	
058202	50.00	Green	
058252	75.00	Green	
058220	50.00	Blue	
058221	75.00	Blue	
058222	50.00	Black	
058223	75.00	Black	



WARNING PANELS

CAN BE USED WHEREVER THERE ARE POTENTIAL DANGERS TO THE WORK FORCE.

Designed to give early warning about trucks, loading platforms, posts and fork-lift trucks.

- Material: Self-adhesive Vinyl (B-946)

Order Ref.	Height x Width (mm)	Colour	Packaging
255322	286.00 x 428.00	Red & White	10 panels per pack



EASYLINE™ FLOOR MARKING PAINT FOR INDUSTRIAL MARKING

- For temporary or permanent use
- Supplied in 750 ml aerosol cans which are CFC free
- Does not contain lead or chlorinated solvents
- Produces lines up to 100 metres long, depending on the surface and the width
- Resistant to oil, petrol, grease, water, etc
- Use detergents for removable paint when lines are no longer needed
- Packaging: Sold in packs of 6

Order Ref.	Colour	Description
225005	Blue	Permanent Easyline Paint - Blue
225006	Green	Permanent Easyline Paint - Green
225007	Orange	Permanent Easyline Paint - Orange
225008	Black	Permanent Easyline Paint - Black
225009	Grey	Permanent Easyline Paint - Grey
255353	Yellow	Permanent Easyline Paint - Yellow
255354	White	Permanent Easyline Paint - White
255355	Red	Permanent Easyline Paint - Red
255356	Yellow	Removable Easyline Paint - Yellow
255357	White	Removable Easyline Paint - White
255358	Red	Removable Easyline Paint - Red



EASYLINE™ PAINT APPLICATOR

Easy to use wheeled Easyline™ Line Marking Paint applicator. Mark 3 different line widths, 50 mm, 75mm & 100 mm with one machine. Ensures clean, precise lines. Total visibility of line marking during application. Rear wheels are adjustable to allow for line marking close to walls and racks.

Order Ref.	Description
837011	EasyLine Edge Marking Applicator



Brady offers a wide range of photoluminescent products. These indicate danger zones, even in complete darkness. In case of an emergency, these products will help your employees to find their way out of a dark room.

Minimum Luminance

Class	After 10 minutes	After 60 minutes
A	23 mcd/m ²	3 mcd/m ²
B	50 mcd/m ²	7 mcd/m ²
C	140 mcd/m ²	20 mcd/m ²
D	260 mcd/m ²	35 mcd/m ²



GLOW-IN-THE-DARK ARROW TAPES

- Designed for safe Low Location Lighting egress pathway marking during power outages and emergency situations
- Two directional graphic styles available: V and Arrow
- Standard package: 1 Roll




Order Ref.	Width (mm)	Length (m)	Class
Glow-in-the-dark arrow tape - V-Style			
090971	50.00	4.50	Class A
090972	75.00	4.50	Class A
Glow-in-the-dark arrow tape - Arrow-style			
090973	50.00	4.50	Class A
090974	75.00	4.50	Class A
Glow-in-the-dark warning tape			
836815	40.00	10.00	Class B
836816	80.00	10.00	Class B

GLOW-IN-THE-DARK WARNING TAPES

- Material: Self-adhesive photoluminescent polyester

Order Ref.	Width (mm)	Length (m)	Class
224071	25	9.00	Class A
224072	50	9.00	Class A
836794	20	10.00	Class B
836795	40	10.00	Class B
836796	50	10.00	Class B
836797	80	10.00	Class B
836798	50	10.00	Class C
836802	50	1.00	Class B
836803	50	1.00	Class C


Note: article numbers 836802 and 836803 are rigid strips



GLOW-IN-THE-DARK WARNING TAPES WITH LEGEND

- Material: Self-adhesive photoluminescent polyester
- Standard Package: 1 Roll (10 m)

Order Ref.	Width (mm)	Description	PIC Number	Legend	Class
836788	40.00	Emergency exit (left)	E001	—	Class B
836793	40.00	Emergency exit (left)	E001	Fire Exit	Class B
836789	80.00	Emergency exit (left)	E001	—	Class B
836792	80.00	Emergency exit (left)	E001	Fire Exit	Class B
836790	40.00	Emergency exit (right)	E002	—	Class B
836786	40.00	Emergency exit (right)	E002	Fire Exit	Class B
836791	80.00	Emergency exit (right)	E002	—	Class B
836787	80.00	Emergency exit (right)	E002	Fire Exit	Class B



GLOW-IN-THE-DARK FOOTPRINTS

- Material: Photoluminescent Polyester (B-324)

Order Ref.	Height (mm)	Description	Packaging	Class
055358	300.00	Glow-in-the-dark footprint - Left foot	1	Class A
055359	300.00	Glow-in-the-dark footprint - Right foot	1	Class A



GLOW-IN-THE-DARK ARROWS

- Material: Photoluminescent Polyester

Order Ref.	Height (mm)	Description	Packaging	Class
836821	100.00	Glow-in-the-dark shapes	6 arrows	Class B
093275	75.00	Glow-in-the-dark arrows	100 arrows	Class A
836822	75.00	Glow-in-the-dark shapes	20 arrows	Class B


Minimum Luminance		
Class	After 10 minutes	After 60 minutes
A	23 mcd/m ²	3 mcd/m ²
B	50 mcd/m ²	7 mcd/m ²
C	140 mcd/m ²	20 mcd/m ²
D	260 mcd/m ²	35 mcd/m ²



GLOW-IN-THE-DARK ANTI-SKID FOOTPRINTS

- Material: Photoluminescent self-adhesive with anti-skid effect

Order Ref.	Height x Width (mm)	Description	Packaging	Class
224073	210.00 x 85.00	Glow-in-the-dark anti-skid footprint - Right foot	1 foot	Class A
224074	210.00 x 85.00	Glow-in-the-dark anti-skid footprint - Left foot	1 foot	Class A
836824	90.00 x 40.00	Glow-in-the-dark shapes	10 pairs	Class B



GLOW-IN-THE-DARK ANTI-SKID FLOOR MARKING DOTS

- Material: Photoluminescent self-adhesive with anti-skid effect

Order Ref.	Diameter (mm)	Description	Packaging	Class
224077	50.00	Glow-in-the-dark anti-skid floor marking dots	10 dots	Class A
836823	75.00	Glow-in-the-dark shapes	20 dots	Class B
224078	95.00	Glow-in-the-dark anti-skid floor marking dots	10 dots	Class A



DOOR HANDLE BACKGROUNDS

- Material: Photoluminescent Polyester (B-324)

Order Ref.	Height x Width (mm)	Description	Packaging	Class
224075	255.00 x 100.00	Door handle background - Left turn	1/pack	Class A
224076	255.00 x 100.00	Door handle background - Right turn	1/pack	Class A




PHOTOLUMINESCENT INDIVIDUAL DOTS (SELF-ADHESIVE)



Order Ref.	Diameter (mm)	Description	Packaging	Class
263382	16.00	Photoluminescent individual dots (Self-adhesive)	40 dots per card	Class A
263383	25.00	Photoluminescent individual dots (Self-adhesive)	15 dots per card	Class A



PHOTOLUMINESCENT INDIVIDUAL ARROWS (SELF-ADHESIVE)




Order Ref.	Height x Width (mm)	Description	Packaging	Class
263384	18.00 x 27.00	Photoluminescent individual arrows - Narrow	20 arrows per card	Class A
263385	18.00 x 27.00	Photoluminescent individual arrows - Wide	20 arrows per card	Class A

Minimum Luminance		
Class	After 10 minutes	After 60 minutes
A	23 mcd/m ²	3 mcd/m ²
B	50 mcd/m ²	7 mcd/m ²
C	140 mcd/m ²	20 mcd/m ²
D	260 mcd/m ²	35 mcd/m ²

Photoluminescent Area Marking

PHOTOLUMINESCENT FLOOR MARKING ARROWS (SELF-ADHESIVE)

Order Ref.	Diameter (mm)	Description	Packaging	Class
263387	95.00	Photoluminescent Floor Marking Arrows (self-adhesive)	10 per pack	Class A



PHOTOLUMINESCENT ARROWS - RECTANGULAR (SELF-ADHESIVE)

Order Ref.	Height x Width (mm)	Description	Packaging	Class
251920	175.00 x 110.00	Photoluminescent arrow with anti-skid top - Rectangular	10 arrows/pack	Class A
251921	175.00 x 110.00	Photoluminescent Wall Arrows - Rectangular	10 arrows/pack	Class A



PHOTOLUMINESCENT STAIR MARKING

THESE MARKERS HAVE AN ANTI-SKID COATING AND INDICATE CLEARLY THE EDGES OF STAIRS IN THE DARK.

Order Ref.	Height x Width (mm)	Description	Packaging
251949	50.00 x 200.00	Photoluminescent Stair Marking	1 strip



ANTI-SKID PHOTOLUM L-SHAPE

THESE PRE-CUT "L"-SHAPED MARKERS HAVE AN ANTI-SKID COATING AND INDICATE CLEARLY THE EDGES OF STAIRS IN THE DARK.



Order Ref.	Height x Width (mm)	Description	Packaging	Class
836799	75.00 x 25.00	Glow-in-the-dark warning tape	200	Class C



PHOTOLUMINESCENT LIGHT SWITCH MARKERS

SMALL SHAPES TO PUT ON SWITCH FOR EASY AND QUICK ACCESS. SIMPLY STICK THESE MARKERS ONTO YOUR LIGHT SWITCHES FOR EASY LOCATION IN THE DARK.

Order Ref.	Height x Width (mm)	Description	Packaging	Class
836825	8.00 x 15.00	Glow-in-the-dark shapes	80	Class B




GLOW-STICKS

TRANSLUCENT PLASTIC TUBE CONTAINING SUBSTANCE MAKING LIGHT THROUGH CHEMILUMINESCENCE. 12 HOURS LIGHT SOURCE WITHOUT ANY EXTERNAL ENERGY SOURCE. THE LIGHT CANNOT BE TURNED OFF AND CAN BE USED ONLY ONCE.

Order Ref.	Height	Colour	Description	Packaging
836826	150.00	Photoluminescent	Glow-in-the-dark accessories	10

Note: Glow-sticks are photoluminescent yellow. Other colours available on request.


WARNING TAPE: STANDARD LUMINOUS INTENSITY



Order Ref.	Colour	Width (mm)	Length (m)	Packaging	Class
836813	Black on Photoluminescent	40.00	10.00	1	Class B
836814	Black on Photoluminescent	80.00	10.00	1	Class B
836817	Green on Photoluminescent	40.00	10.00	1	Class B
836818	Green on Photoluminescent	80.00	10.00	1	Class B
836819	Red on Photoluminescent	40.00	10.00	1	Class B
836820	Red on Photoluminescent	80.00	10.00	1	Class B
Striped Left					
263367	Red on Photoluminescent	30.00	12.00	1	Class A
263369	Red on Photoluminescent	30.00	25.00	1	Class A
263371	Red on Photoluminescent	60.00	12.00	1	Class A
263373	Red on Photoluminescent	60.00	25.00	1	Class A
Striped Right					
263368	Red on Photoluminescent	30.00	25.00	1	Class A
263370	Red on Photoluminescent	60.00	12.00	1	Class A
263372	Red on Photoluminescent	60.00	25.00	1	Class A

PHOTOLUMINESCENT WARNING STRIPS

SELF-ADHESIVE ALUMINIUM WARNING STRIPS WITH A HIGH LUMINOUS INTENSITY.




Order Ref.	Colour	Width (mm)	Length (m)	Packaging	Class
Striped Right					
251936	Black & White	30.00	1.00	1 strip	Class C
251938	Black & White	60.00	1.00	1 strip	Class C
251942	Red & White	30.00	1.00	1 strip	Class C
251944	Red & White	60.00	1.00	1 strip	Class C

GREEN ARROW TAPE - STANDARD PHOTOLUMINESCENT QUALITY




Order Ref.	Width (mm)	Length (m)	Packaging	Class
263374	30.00	12.00	1 roll	Class B
263375	30.00	25.00	1 roll	Class B
263376	60.00	12.00	1 roll	Class B
263377	60.00	25.00	1 roll	Class B

GREEN ARROW STRIPS - HIGH PHOTOLUMINESCENT QUALITY



Order Ref.	Width (mm)	Length (m)	Packaging	Class
251945	30.00	1.00	1 strip	Class C
251946	60.00	1.00	1 strip	Class C

PHOTOLUMINESCENT DOOR MARKING TAPE



Order Ref.	Width (mm)	Length (m)	Packaging	Class
263378	30.00	12.00	1 roll	Class B
263379	30.00	25.00	1 roll	Class B
263380	60.00	12.00	1 roll	Class B
263381	60.00	25.00	1 roll	Class B


PHOTOLUMINESCENT DOOR MARKING STRIPS



Order Ref.	Width (mm)	Length (m)	Packaging	Class
251947	30.00	1.00	1 strip	Class B
251948	60.00	1.00	1 strip	Class B

PHOTOLUMINESCENT ANTI-SKID STRIPS

THESE SELF-ADHESIVE ALUMINIUM ANTI-SKID STRIPS ARE IDEAL FOR MARKING THE EDGES OF STAIRS AND DOORWAYS. THEY ARE AVAILABLE IN A STANDARD LUMINOUS INTENSITY VERSION AND A HIGH LUMINOUS INTENSITY VERSION.



Order Ref.	Colour	Width (mm)	Length (m)	Packaging	Class
Photoluminescent Anti-skid Strips - Aluminium High intensity / Striped					
251930	Black & White	30.00	0.80	1 strip	Class C
251932	Black & White	50.00	0.80	1 strip	Class C
Photoluminescent Anti-skid Strips - Aluminium High intensity					
251926	Photoluminescent	30.00	0.80	1 strip	Class C
251928	Photoluminescent	50.00	0.80	1 strip	Class C
Photoluminescent Anti-skid Strips - Aluminium Standard intensity					
251925	Photoluminescent	30.00	0.80	1 strip	Class B

ROLL-MOUNTED ANTI-SKID TAPE

ANTI-SKID TAPE HELPS TO PREVENT SLIPPING AND FALLING ON WET OR SLIPPERY FLOORS. THE RUGGED POYESTER TAPE IS ADHESIVE BACKED AND COATED WITH THOUSANDS OF PARTICLES OF DURABLE ALUMINIUM OXIDE GRIT.

- Bonds permanently to clean, dry floors
- Works indoors or outdoors
- Withstands grease and oil
- Eliminates masking clean-up and drying time



Order Ref.	Colour	Length (m)	Quantity
Tape Width 25.00 mm			
078189	Black	18.00	1 Roll
078197	Brownish Red	18.00	1 Roll
Tape Width 50.00 mm			
078190	Black	18.00	1 Roll
078198	Brownish Red	18.00	1 Roll
078188	Clear	18.00	1 Roll
078182	Fluorescent Green	18.00	1 Roll
078184	Fluorescent Orange	18.00	1 Roll
078183	Fluorescent Yellow	18.00	1 Roll
078187	Grey/White	18.00	1 Roll
Tape Width 100.00 mm			
078191	Black	18.00	1 Roll
078199	Brownish Red	18.00	1 Roll
078092	Yellow	18.00	1 Roll
Tape Width 150.00 mm			
078193	Black	18.00	1 Roll
Tape Width 300.00 mm			
078194	Black	18.00	1 Roll



ANTI-SKID TAPE DIE-CUT CLEATS

INSTALLATION IS EASY, JUST PEEL OFF THE PROTECTIVE LINER AND PRESS IN PLACE.

- Material: Adhesive backed plastic cleat

Order Ref.	Colour	Height x Width (mm)	Quantity
078177	Red	140.00 x 140.00	50
078196	Black	140.00 x 140.00	50
078192	Black	19.00 x 600.00	50
078195	Black	150.00 x 600.00	50



REFLECTIVE & GLOW-IN-THE-DARK DIE-CUT CLEATS

PROVIDES AN EXTRA MARGIN OF SAFETY AT NIGHT, DURING BLACKOUTS OR IN LOW LIGHT CONDITIONS.

Order Ref.	Description	Height x Width (mm)	Quantity
078161	Reflective Die-Cut Cleats - Black	150.00 x 600.00	24
078162	Glow-in-the-Dark Die-Cut Cleats - Black	150.00 x 600.00	24



ANTI-SKID TAPE/HAZARD MARKING DIE-CUT CLEATS

THE ANTI-SKID TAPE PROVIDES TRACTION ON SLICK FLOORS, WHILE THE PRINTED MESSAGE SIGNALS A VISUAL WARNING.

Order Ref.	Height x Width (mm)	Legend	Quantity
078160	152.40 x 609.60	Caution	24
078163	152.40 x 609.60	Watch your step	24



STRIPED ANTI-SKID TAPE

THIS BRIGHT YELLOW AND BLACK STRIPED ANTI-SKID TAPE AIDS VISIBILITY.

- Material: Adhesive backed plastic tape, oxide grit coated
- Colour: Black & Yellow

Order Ref.	Width (mm)	Length (m)	Quantity
078146	25.00	18.00 m	1 Roll
078147	50.00	18.00 m	1 Roll
078148	75.00	18.00 m	1 Roll
078149	100.00	18.00 m	1 Roll
078150	150.00	18.00 m	1 Roll





BARRICADE TAPES

VISUAL BARRICADING PROVIDES FAST ON-THE-SPOT WARNING OF POTENTIAL DANGERS.

The non-adhesive tape can be used for temporary outdoor or permanent indoor applications. This tape can be tied, stapled or nailed to posts, fences or metal barricades.

- Material: Polyethylene
- Thickness: 0.075 mm
- Size: 75.00 mm x 250 m
- Packaging: 1 roll

Order Ref.	Legend
------------	--------



256650



256651



256652




256653

Order Ref.	Legend
------------	--------



256654



256659



256660



256858

Order Ref.	Legend
------------	--------



256859



256860



256861

Striped Barricade Tape

- Thickness: 0.03 mm
- Size: 75.00 mm x 500 m

Order Ref.	Colour
------------	--------



291425



291426

GRAPHIC BARRICADE TAPES

COMBINED TEXT AND GRAPHICS RE-ENFORCE YOUR MESSAGE IMMEDIATELY.

- Highly-visible and extremely durable
- Supplied on handy spools enabling use over and over again
- Weather-resistant 0.1 mm thick polyethylene
- Each roll measures 76 mm x 305 m

Order Ref.	Legend
------------	--------



702125



702126

Order Ref.	Legend
------------	--------



702128



702136

Order Ref.	Legend
------------	--------



702146

TAPE DISPENSER - 500 M ROLLS

Durable yellow tape dispenser, features replaceable cutting blade (blades available on request). This dispenser can be used with any of the Brady barricade tapes and holds rolls up to 500 m long with a maximum width of 100 mm. Its design protects your tapes from dust and dirt.

- Weight: 650 g
- Size: 107 x 220 x 300 mm
- Packaging: 1

Order Ref.

225000



TAPE DISPENSER - 305 M ROLLS

This Tape dispenser holds 305 m long rolls of tape with a 75 mm width. It dispenses the tape quickly, safely and efficiently. Its features are:

- Lightweight, indestructible polypropylene construction.
- Advances the tape as required using your thumb.
- The steel safety cutting blade cuts fast and clean.
- The device can also be used with tapes of 50 mm.
- Packaging: 1

Order Ref.

072412



SUPER STRONG BARRICADE TAPE

LONG-LASTING HAZARD PROTECTION, EVEN WITH LONG DISTANCES BETWEEN TIE POINTS.

Reinforced Barricade Tape is stronger than ordinary barricade tape, making long stretches between tie points easy. No stretch or sag in sunlight or wind and it's tough enough to be used again.

- Width: 75.00 mm
- Length: 100 m
- Packaging: 1 roll


Order Ref.	Legend
091104	
240089	
240099	
256868	



UNDERGROUND WARNING TAPE

UNDERGROUND TAPE IS BURIED 30 TO 45 CM BELOW GROUND LEVEL. DIGGING CREWS RECEIVE WARNING OF BURIED LINES AND CABLES, ALLOWING A MARGIN OF SAFETY BETWEEN THE TAPE AND THE BURIED LINE.

- Easily Seen
- Easily Identified - by means of colour coding
- Convenient - Handy dispensing reel
- Strong - Heavy duty polyethylene material resists acid, alkalis and other soil substances. Tape is 0.1 mm thick, with a tough tensile strength of 1750 psi
- Long Lasting - Coated graphics provide long lasting legibility and hold colour values
- Economical - Compared to the potential cost of line damage, this tape is cost-effective for use over the entire length of the line
- Packaging: 1 roll

Order Ref.	Legend	Width (mm)	Length (m)
256862		150.00	365.00 m
256864		150.00	365.00 m
256865		150.00	365.00 m



BRADYLINK® WARNING POST & CHAIN

BARRICADE POTENTIALLY HAZARDOUS AREAS INDOORS OR OUTDOORS WITH PORTABLE PLASTIC POSTS AND CHAINS. THEIR LIGHTWEIGHT YET TOUGH CONSTRUCTION STANDS UP TO YEARS OF USE IN TEMPORARY OR PERMANENT APPLICATIONS.




The components of the posts and chains are made of polyethylene with the following features:

- Non-conductive: Can be safely used in electrically hazardous areas
- Built-in Ultraviolet Inhibitors: Screen out the sun's rays to prevent colours from fading during outdoor use
- Light-weight: chain is lighter than similar metal parts – chain weights 2.7 kg per 25 metres
- Non-rusting: Unlike metal posts and chain BradyLink, plastic parts cannot rust
- Fillable Base: Hollow base can be filled with water or sand for more stable application
- C-hook: Large C-hook holds chain in place. Use open, or closed for greater security
- Post Diameter: 75.00 mm
- Base Diameter: 400.00 mm
- Height: 1040.00 mm

Order Ref.	Colour
1 in Pack	
092116	Black
092122	Striped Black & Yellow
092118	Yellow
6 in Pack	
092119	Black
092123	Striped Black & Yellow
092125	Striped Black & Yellow Reflective
092120	White
092121	Yellow




Insert post into base and turn into place. Base may be filled with sand or water to make the assembly more stable.



Drop C-hook into slots, insert post to, and screw into place. Large C-hook holds chain in place.

BRADY WARNING CHAIN

- Material: Polyethylene
- Standard Package: 25 m (2.7 kg)



Dimensions

A:	50.00 mm
B:	34.00 mm
C:	12.00 mm
D:	28.00 mm
E:	8.00 mm

Order Ref.	Width (mm)	Height	Colour
278271	28.00	50.00	Yellow
278268	28.00	50.00	White
278269	28.00	50.00	Red & White
278270	28.00	50.00	Black & Yellow

BRADY CONNECTING HOOKS



- Material: Moulded Polyethylene
- Packaging: 36 pieces per pack
- Usage: attaching lengths of chains

Order Ref.	Width (mm)	Colour
078257	50.00	Yellow
078258	50.00	White
078259	50.00	Black

BRADY CONNECTING LINKS



- Material: Moulded Polyethylene
- Packaging: 36 pieces per pack
- Usage: for a more permanent application or repairing chain links, these connecting links can be used

Order Ref.	Width (mm)	Colour
078248	50.00	Black
078247	50.00	White
078246	50.00	Yellow

WARNING POSTS

IDEAL FOR CONTROLLING AND DIRECTING FOOT TRAFFIC. SUITABLE FOR WAREHOUSES, FACTORIES, OFFICES, ETC.

Chains and ribbons can be attached to the sturdy 90 cm high posts. The posts are available in one-colour or two-colour versions (stripes of 10 cm wide).

- Material: polyethylene
- Non-conductive: the posts can be used for barricading electrically hazardous installations
- Built-in ultraviolet inhibitors: block out ultraviolet rays to prevent colours from fading
- Colours: they stay bright and eye-catching, even after years of use
- Sizes: height: 900.00 mm, outside diameter: 60.00 mm

Article No.	Colour	Height (mm)	Packaging
Post & cement base (4 pcs.)			
292236	Black & Yellow	900.00	4
292234	Red	900.00	4
292237	Red & White	900.00	4
292239	White	900.00	4
Post & fillable base (4 pcs.)			
256722	Black & Yellow	900.00	4
256729	Red	900.00	4
256721	Red & White	900.00	4
256725	White	900.00	4
Post & rubber base (4 pcs.)			
256724	Black & Yellow	900.00	4
256730	Red	900.00	4
256723	Red & White	900.00	4
256726	White	900.00	4
Post & triangular plastic base (no cement)			
292233	Red	900.00	4
Cement base only (1 pc)			
292246	Black		1
Fillable base only (1 pc)			
256727	Black	120.00	1
Post & triangular plastic base (no cement)			
292240	Black & Yellow	900.00	1
292238	Red & White	900.00	1
292235	White	900.00	1
Rubber base only (1 pc)			
256728	Black		1
Top			
292247	Black & Yellow	900.00	1
292248	Red	900.00	1
292249	White	900.00	1
Triangular plastic base only (empty - no cement) (1 pc)			
292245	Black		1



MESSAGE SIGN

CREATE AN EVEN SAFER WORK ENVIRONMENT BY USING THESE UNIVERSAL SIGNS. THE PLASTIC FRAME SIMPLY CLIPS TO THE BRADY POSTS.

- Kit contains: frame + 2 attachment clips + 1 chain (black, 20 cm)
- Colour: black
- Packaging: 1
- Signs not included in kit

Order Ref.	Width (mm)	Height	Description
292250	210.00	297.00	Message Sign Kit A4



HEAVY DUTY FLOOR STANDS

EASILY TRANSPORTABLE, THESE STANDS ARE VERY USEFUL TO CARRY WITH AND CLEARLY INDICATE SUBSTANTIAL DANGERS SUCH AS SLIPPERY ZONES. THEY ARE IDEAL FOR HOSPITALS OR PUBLIC HALLS FOR EXAMPLE.

- Heavy duty yellow high density polypropylene
- Height (closed): 660.00 mm
- Maintenance free : will not dent or corrode
- Large message area is visible from over 9 metres
- Available with a range of standard messages or as a blank stand



Order Reference				
092110	256700	256701	256702	256704



Order Reference			
256705	256706	256708	256709

ECONOMY FLOOR STANDS

- Printed on both sides –inside and out- offering two stands for the price of one
- Lightweight corrugated polypropylene material
- Packaging: 1 Piece
- Height (closed): 500.00 mm - Width: 300.00 mm

BRADY
Customize-it

Contact your Brady Specialist for more information on customized Economy Floor Stands





Order Reference		
092284	256711	256712

POLYURETHANE SAFETY BUMPERS

CLEARLY VISIBLE, MADE FROM POLYURETHANE FOAM RUBBER, FLEXIBLE AND STURDY MATERIAL, OPTIMAL SHOCK-ABSORBER.

- 4 colours: black; yellow on black; photoluminescent on black
- 3 models available + 2 corner connecting pieces
- The photoluminescent strips are coated with a film that protects against physical and chemical actions. In the dark, these products give off the light they have absorbed during the day
- Non-toxic and non-radioactive
- Length: 1m.
- Secured with adhesive
- Packaging: 1

Order Ref.	Type	Colour	Packaging
225011	Type A	Black & Yellow	10 per pack
225012	Type A	Photoluminescent on Black	10 per pack
225015	Type B	Black & Yellow	10 per pack
225018	Type C	Black & Yellow	10 per pack
225019	Type C	Photoluminescent on Black	10 per pack
225020	2-dimensional corner piece	Black	10 per pack



PHOTOLUMINESCENT FOAMS

GLOW-IN-THE-DARK FOAM TO PREVENT ACCIDENTS AND INJURIES.

Order Ref.	Width (mm)	Height (mm)	Length (m)	Type
836806	19.00	-	50.00 m	Roll
836807	25.00	-	50.00 m	Roll
836808	19.00	-	25.00 m	Roll
836809	25.00	-	25.00 m	Roll
836804	15.00	15.00	-	Pad
836805	15.00	15.00	-	Pad





SELF-ADHESIVE SAFETY BUMPERS

PROTECT CORNERS AND EDGES WITH THESE SHOCK-ABSORBERS.


- Shock-absorber made from cellular thermoplastic
- Dual function: indicates hazardous situations and softens any impacts
- Increases safety in the workplace
- Highly resistant against hydrocarbons
- Double-sided adhesive, can be attached to any clean surface
- Choice out of 3 models
- Packaging: 10 per pack

Order Ref.	Type	Height	Length (m)	Colour	Packaging
225022	Corner (a)	110.00	0.68	Black & Yellow	10 per pack
225023	Sleeve (b)	28.00	0.66	Black & Yellow	10 per pack
225024	Cover (c)	151.00	0.75	Yellow	10 per pack



BRADY - YOUR COMPLETE WORK SAFETY SOLUTION PROVIDER

Find out more safety products from our extensive portfolio. Visit our websites or contact your nearest Brady representative.



LOCKOUT/TAGOUT - SOLUTIONS FOR HAZARDOUS ENERGY CONTROL

From audit and identification of energy control points, through procedure creation and the selection of adequate products, up to employee training and safety awareness promotion – Brady offers full support and a broad range of products to create your advanced work safety environment.



VISUAL TAGGING SOLUTIONS SAFETY. MAINTENANCE. IDENTIFICATION.

Provide essential records of the safe condition of all your site equipment and scaffolding.

- Simple to implement
- Easy for workers to understand
- Specially designed for rough environments
- Highly visible



PIPE MARKERS - EASILY IDENTIFY PIPE CONTENT AND FLOW DIRECTION

The correct identification of pipes ensures a better insight into a building's structure. Accidents, injuries and damage can be prevented.



SORBENTS - SMART SPILL CONTROL

Clean, fast and safe removal of oil, water and chemicals spills.

- Adsorbs 10-25 times its own weight within a few seconds
- Environmentally friendly
- Spend less time cleaning



WHEN PERFORMANCE MATTERS MOST™

BRADY Africa

361 Olympic Duel
Northlands Business Park
Newmarket Road
Randburg
Tel: +27 11 704 3295
Fax: +27 86 501 7775

BRADY Benelux

Industriepark C/3
Lindestraat 20
9240 Zele, Belgium
Tel: +32 (0) 52 45 78 11
Fax: +32 (0) 52 45 78 12

Brady Central & Eastern Europe

Na Pántoch 18
831 06 Bratislava, Slovakia
Tel: +421 2 3300 4800
Fax: +421 2 3300 4801

BRADY Denmark

Svendborgvej 39D
5260 Odense S
Tel: +45 66 14 44 00
Fax: +45 66 14 44 50

BRADY France

Parc EURO CIT
45, avenue de l'Europe
59436 Roncq Cedex
Tel: +33 (0) 3 20 01 08 70
Fax: +33 (0) 3 20 01 08 76

BRADY Germany

Brady-Straße 1
63329 Egelsbach
Tel: +49 (0) 6103 7598 660
Fax: +49 (0) 6103 7598 670

BRADY Hungary

Puskás Tivadar u. 4.
2040 Budaörs
Tel: +36 23 500 275
Fax: +36 23 500 276

BRADY Italy

Via Degli Abeti 44
20064 Gorgonzola (MI)
Tel: +39 02 26 00 00 22
Fax: +39 02 25 75 351

BRADY Middle East FZE

PO BOX 18015
Jebel Ali, Dubai, UAE
Tel: +971 4881 2524
Fax: +971 4881 3183

BRADY Norway

Kjeller Vest 2
2007 Kjeller
Tel: +47 70 13 40 00
Fax: +47 70 13 40 01

BRADY Romania

World Trade Center
Piata Montreal, nr 10
Intrarea F, Etajul 1, Birou 1.16,
Sector 1,
Bucharest, 011469
Tel: +40 21 202 3032
Fax: +40 21 202 3100

BRADY Russia

Avrora Business Park, Office 2305
82/2, Sadovnicheskaya Street
115035 Moscow
Tel: +7 495 225 93 62

BRADY Spain & Portugal

Diputación, 260
08007 Barcelona, Spain
Tel: +34 900 902 993
Fax: +34 900 902 994

BRADY Sweden

Vallgatan 5
170 67 Solna
Tel: +46 (0) 8 590 057 30
Fax: +46 (0) 8 590 818 68

BRADY Turkey

Selviil Sok. No: 3/4
4. Levent Istanbul 34330
Tel: +90 212 264 02 20 / 264 02 21
Fax: +90 212 270 83 19

BRADY UK & Ireland

Wildmere Industrial Estate
Banbury, Oxon – OX16 3JU, UK
Tel: +44 (0) 1295 228 288
Fax: +44 (0) 1295 228 100

BRADY WORLDWIDE

Australia	612-8717-6300
Brazil	55-11-3686-4720
Canada	1-800-263-6179
China (Beijing)	86-10-6788-7799
China (Shanghai)	86-21-6886-3666
China (Wuxi)	86-510-528-2222
Hong Kong	852-2359-3149
Japan	81-45-461-3600
Korea	82-31-451-6600
Latin America	1-414-540-5560
Malaysia	60-4-646-2700
Mexico	525-399-6963
New Zealand	61-2-8717-2200
Philippines	63-2-658-2077
Singapore	65-6477-7261
Taiwan	886-3-327-7788
Thailand	66-2-793-9200
USA	1-800-537-8791

Your distributor



INDUSTRIEL
Piotr Augustyński
T: +48 18 442 18 10
F: +48 18 442 80 72
www.industriel.pl
info@industriel.pl

www.industriel.pl

